

**Project Report  
PCA-IRT-1**

# **Preliminary Design Review: PCA Integrated Radar-Tracker Application**

**J.M. Lebak**

**9 April 2002  
Issued 6 February 2004**

---

**Lincoln Laboratory**  
MASSACHUSETTS INSTITUTE OF TECHNOLOGY  
*LEXINGTON, MASSACHUSETTS*



---

Prepared for the Defense Advanced Research Projects Agency  
under Air Force Contract F19628-00-C-0002.

Approved for public release; distribution is unlimited.

**20040213 171**


This report is based on studies performed at Lincoln Laboratory, a center for research operated by Massachusetts Institute of Technology. This work was sponsored by DARPA/ITO under Air Force Contract F19628-00-C-0002.

This report may be reproduced to satisfy needs of U.S. Government agencies.

The ESC Public Affairs Office has reviewed this report, and it is releasable to the National Technical Information Service, where it will be available to the general public, including foreign nationals.

This technical report has been reviewed and is approved for publication.

FOR THE COMMANDER

  
Gary Tutungian  
Administrative Contracting Officer  
Plans and Programs Directorate  
Contracted Support Management

Non-Lincoln Recipients

PLEASE DO NOT RETURN

Permission is given to destroy this document  
when it is no longer needed.

Massachusetts Institute of Technology  
Lincoln Laboratory

**Preliminary Design Review: PCA Integrated  
Radar-Tracker Application**

*J.M. Lebak*  
*Group 102*

Project Report PCA-IRT-1

9 April 2002

Issued 6 February 2004

Approved for public release; distribution is unlimited.

## **ABSTRACT**

The DARPA Polymorphous Computing Architecture (PCA) program is building advanced computer architectures that can reorganize their computation and communication structure to achieve better overall application performance. As part of the PCA program, MIT Lincoln Laboratory has been requested to provide examples of defense-oriented applications that will challenge the candidate architectures.

This report presents a high-level description of an example application involving a ground moving target indicator (GMTI) radar application and a feature-aided tracker application that work together.

## TABLE OF CONTENTS

	Page
Abstract	ii
1. INTRODUCTION	1
1.1 General Description	1
Acronyms	3
References	4

# 1. INTRODUCTION

The DARPA Polymorphous Computing Architecture (PCA) program is building advanced computer architectures that can reorganize their computation and communication structure to achieve better overall application performance. This reorganization is known as *morphing*. As part of the PCA program, Lincoln Laboratory has been requested to provide examples of defense-oriented applications that will challenge the candidate architectures. This report presents a ground moving target indicator (GMTI) radar application: this application was chosen because of its use of standard signal processing functions and linear algebra operations. We have also identified feature-aided tracking (FAT [2]) as a good application to present to the community because of its high performance requirements, its use of database operations, and its emphasis on thread-based as opposed to stream-based operations.


Our goal is to provide to the community a single Matlab program that integrates a moving target indicator (MTI) radar and a tracker. This will allow the teams building hardware to verify their application code and to have an "executable specification" for testing purposes. This report describes the high-level operation of the integrated radar-tracker in greater detail. Other documents ([1],[3]) describe the operation of the components of this application.

## 1.1 GENERAL DESCRIPTION

The two major components of the integrated radar-tracker are GMTI processing and feature-aided tracking. A block diagram of the components, indicating the data that flows between them, is shown in Figure 1.

Note that the GMTI system produces two types of data, GMTI output data (labelled "1" in Figure 1) and high range resolution (HRR) profiles (labelled "3" in Figure 1). The primary function of GMTI processing is to process wideband sensor data to detect moving targets on the ground. Detections are performed and object centers are identified (this is referred to as detection "clustering"). An HRR profile is a set of wideband data extracted from around the defined center of an object. The characteristics of the HRR profile can then be used by the FAT to distinguish among different targets and perform target classification.

GMTI processing operates, essentially, on "snapshots" of data from the sensor, and produces target reports and HRR profiles for a particular instant of time. The task of integrating successive snapshots together is performed by the tracker. A typical kinematic tracker uses models of target motion to determine which objects detected at one instant are physically the same as the objects at the next instant. The feature-aided tracker implemented here adds to this process by using the HRR profile of the target to aid the target-track association process. It matches the HRR profile against the previous values and, if possible, classifies the target and match against the previous classification.



*Figure 1. Block diagram of integrated radar-tracker application.*

There are many opportunities for parallelism in the implementation of these tasks. In a typical embedded signal processor, one would expect that the GMTI and FAT blocks would run in a task-parallel fashion. In the Matlab implementation, the tasks are treated as a single serial data flow because of the limitations of the language.

## ACRONYMS

**FAT** — Feature-Aided Tracking

**GMTI** — Ground Moving Target Indicator

**HRR** — High Range Resolution

**MTI** — Moving Target Indicator

**PCA** — Polymorphous Computer Architecture

**PDR** — Preliminary Design Review



## REFERENCES

- [1] William G. Coate, "Preliminary Design Review: Kinematic Tracking for the PCA Integrated Radar-Tracking Application," MIT Lincoln Laboratory Project Report PCA-IRT-4, 25 February 2003, issued 6 February 2004.
- [2] Duy Nguyen, John Kay, Bradley Orchard, and Robert Whiting, "Classification and Tracking of Moving Ground Vehicles," MIT Lincoln Laboratory Journal, Volume 13, Number 2, 2002.
- [3] Albert I. Reuther, "Preliminary Design Review: GMTI Processing for the PCA Integrated Radar-Tracker Application," MIT Lincoln Laboratory Project Report PCA-IRT-2, 8 April 2002, issued 6 February 2004.

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE 9 April 2002	3. REPORT TYPE AND DATES COVERED Project Report		
4. TITLE AND SUBTITLE Preliminary Design Review: PCA Integrated Radar-Tracker Application		5. FUNDING NUMBERS  C — F19628-00-C-0002		
6. AUTHOR(S) J.M. Lebak				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)  Lincoln Laboratory, MIT 244 Wood Street Lexington, MA 02420-9108		8. PERFORMING ORGANIZATION REPORT NUMBER  PR-PCA-IRT-1		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)  DARPA/ITO 3701 Fairfax Drive Arlington, VA 22203-1714		10. SPONSORING/MONITORING AGENCY REPORT NUMBER  ESC-TR-2003-069		
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT  Approved for public release; distribution is unlimited.		12b. DISTRIBUTION CODE		
13. ABSTRACT (Maximum 200 words)  <p>The DARPA Polymorphous Computing Architecture (PCA) program is building advanced computer architectures that can reorganize their computation and communication structure to achieve better overall application performance. As part of the PCA program, MIT Lincoln Laboratory has been requested to provide examples of defense-oriented applications that will challenge the candidate architectures.</p> <p>This report presents a high-level description of an example application involving a ground moving target indicator (GMTI) radar application and a feature-aided tracker application that work together.</p>				
14. SUBJECT TERMS			15. NUMBER OF PAGES 7	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Same as Report	19. SECURITY CLASSIFICATION OF ABSTRACT Same as Report	20. LIMITATION OF ABSTRACT Same as Report	